

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| - | 2 | automat\$4 with authenticat\$4 with system | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:13 |
| - | 335 | automat\$4 with authenticat\$4 with system | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:13 |
| - | 221 | automat\$4 with authenticat\$4 with system and (client user customer) and network | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:13 |
| - | 140 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:14 |
| - | 79 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:14 |
| - | 60 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:14 |
| - | 6 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 with link | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:15 |
| - | 34 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:43 |
| - | 2011 | authentikat\$4 and identif\$4 with (engine routine algorithm) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:17 |
| - | 69 | authentikat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:17 |
| - | 62 | authentikat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:19 |
| - | 7 | authentikat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assignment | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:19 |
| - | 22 | authentikat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:20 |
| - | 10 | authentikat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:20 |
| - | 2 | authentikat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout and access near\$4 level | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 11:48 |

| | | | | |
|---|---|--|---|---------------------|
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout and access near4 level) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:21 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:21 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:21 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (automat\$4 with authenticat\$4 with system) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:21 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assignment) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:21 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer)) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:21 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:22 |
| - | 4 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 10:56 |

| | | | | |
|---|----|---|---|---------------------|
| - | 16 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 17:29 |
| - | 2 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level and time\$out | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:48 |
| - | 2 | automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level and time\$out and configur\$5 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:55 |
| - | 11 | "159506" | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:58 |
| - | 0 | "09/159506" | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 12:58 |
| - | 0 | "159506" and worldcom.as. | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 13:53 |
| - | 0 | "09/159,506" and worldcom.as. | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 13:53 |
| - | 4 | 707/\$.cccls. and automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 17:31 |
| - | 4 | 709/\$.cccls. and automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 17:32 |
| - | 8 | 713/\$.cccls. and automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2003/07/30 17:32 |
| - | 4 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 10:57 |

| | | | | |
|---|---|--|---|---------------------|
| - | 4 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:12 |
| - | 3 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 10:57 |
| - | 1 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:02 |
| - | 1 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:13 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and ("list of servers" "listing of servers") | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:12 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and select\$4 with server with list | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:13 |
| - | 1 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and select\$4 with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:13 |

| | | | | |
|---|---|--|---|---------------------|
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and select\$4 with server with list\$4 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:14 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and select\$4 with server same list\$4 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:14 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and select\$4 with server same (list\$4 directory) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:14 |
| - | 1 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 select\$4) with server same (list\$4 directory) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:15 |
| - | 0 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server with (list\$4 directory) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 11:15 |
| - | 1 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 12:31 |

| | | | | |
|---|------|--|---|---------------------|
| - | 1 | (automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 12:31 |
| - | 1436 | authenticat\$4 with server and list\$4 with server and plurality with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:13 |
| - | 138 | authenticat\$4 with server and list\$4 with server and plurality with server and ("server list") ("listing of servers")) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:13 |
| - | 33 | authenticat\$4 with server and list\$4 with server and plurality with server and ("server list") ("listing of servers")) and 707/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:13 |
| - | 4 | authenticat\$4 with server and list\$4 with server and plurality with server and ("server list") ("listing of servers")) and 707/\$.ccls. and two\$way with (link\$4 communicat\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:15 |
| - | 4 | authenticat\$4 and list\$4 with server and plurality with server and ("server list") ("listing of servers")) and 707/\$.ccls. and two\$way with (link\$4 communicat\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:15 |
| - | 6 | authenticat\$4 and list\$4 with server and ("server list") ("listing of servers")) and 707/\$.ccls. and two\$way with (link\$4 communicat\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:16 |
| - | 3 | authenticat\$4 and list\$4 with server and ("server list") ("listing of servers")) and 713/\$.ccls. and two\$way with (link\$4 communicat\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:20 |
| - | 27 | authenticat\$4 and list\$4 with server and ("server list") ("listing of servers")) and two\$way with (link\$4 communicat\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:20 |
| - | 9 | authenticat\$4 and list\$4 with server and ("server list") ("listing of servers")) and two\$way with (link\$4 communicat\$4) and access\$4 with list with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:30 |
| - | 9 | authenticat\$4 and list\$4 with server and ("server list") ("listing of servers")) and two\$way with (link\$4 communicat\$4) and access\$4 with list\$4 with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:32 |
| - | 9 | authenticat\$4 and ("server list") ("listing of servers") ("list of servers")) and two\$way with (link\$4 communicat\$4) and access\$4 with list\$4 with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:34 |
| - | 9 | authenticat\$4 and ("server list") ("listing of servers") ("list of available servers")) and two\$way with (link\$4 communicat\$4) and access\$4 with list\$4 with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:34 |
| - | 1184 | authenticat\$4 and access\$4 with list\$4 with server | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:35 |

| | | | | |
|---|-------|--|---|---------------------|
| - | 0 | authenticat\$4 and access\$4 with list\$4 with server and "list of servers" | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:35 |
| - | 0 | authenticat\$4 and access\$4 with list\$4 with server and "listing of servers" | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:35 |
| - | 108 | authenticat\$4 and access\$4 with list\$4 with server and "server list" | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:36 |
| - | 11 | authenticat\$4 and access\$4 with list\$4 with server and "server listing" | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/01/07 13:36 |
| - | 11531 | authenticat\$4 with server | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 11:48 |
| - | 3974 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 11:49 |
| - | 39 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 with two\$way | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 11:49 |
| - | 28 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 with two\$way and authenticat\$4 with user | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 11:50 |
| - | 19 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 with two\$way and authenticat\$4 with user and application with server | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 11:50 |
| - | 4 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 with two\$way and authenticat\$4 with user and application with server and list with server | USPÄT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 12:03 |
| - | 5 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 with two\$way and authenticat\$4 with user and application with server and list with (server computer authenticat\$4 machine) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 12:13 |
| - | 5 | authenticat\$4 with server and (secur\$4 trust44) with communicat\$4 with two\$way and authenticat\$4 with user and application with server and list with (server computer authenticat\$4 machine) and (user client customer) with (id identif\$4) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB | 2004/08/23 12:13 |